

Product Specifications

CP02-LBS Multiplex Panel – Human CD4/CD8/PanCK

Description: UltraPlex chromogenic multiplex IHC kit to detect human CD4/CD8/PanCK

Cat. No.: CP02A-010

Application: IHC-P. Multiplex chromogenic IHC tissue staining of human FFPE tissue sections

Product Overview: Kit for multiplex chromogenic staining of 10 slides plus a single negative control slide on the BOND

RX with V7.0 software.

1° Antibody	Clone	1° Tag	2° Antibody	Chromogen
CD4	EPR6855	UT014	Anti-UT014-HRP	Leica Blue
CD8	EPR10640(2)	UT015	Anti-UT015-AP	Leica Refine Red
PanCK	AE1/AE3	UT016	Anti-UT016-HRP	Yellow

- Leica Refine Red and Leica Blue chromogens must be purchased separately from Leica Biosystems.
- Optimized for use on FFPE tissue sections
- Suitable for conventional brightfield imagers

Components:

Cell IDx Cat #	Description		
SL-038	*Peroxidase Block 2 (Ready to Use)		
SL-024	Concentrated primary antibody cocktail (CD4-UT014, CD8-UT015, PanCK-UT016)		
SL-025	Concentrated Cell IDx Polymer #1 (anti-UT014-HRP, anti-UT015-AP)		
SL-026	Concentrated Cell IDx Polymer #2 (anti-UT016-HRP)		
SL-027	*Cell IDx Rabbit Block (Ready to Use)		
SL-028	Antibody Diluent		
SL-029	*Cell IDx HRP arrest solution part A (Azide in MES)		
SL-030	*Cell IDx HRP arrest solution part B (30% H ₂ 0 ₂)		
SL-035	Yellow Chromogen		
SL-036	Yellow Chromogen Buffer		

Storage: 2-8°C Shelf-Life: 12 months

Refer to UltraPlex Chromogenic Multiplex IHC CD4, CD8, PanCK Staining Protocol CP02-LBS Kit for BOND


RX/RXm using *Cell IDx 1-RBY on Controller 7.0

Staining mode: Parallel multiplex; Staining: *Cell IDx 1- RBY; Preparation: BOND RX *Dewax

HIER: *HIER 20 minutes with ER2

Notes:

Protocols:



Colorectal cancer tissue stained on BOND RX with UltraPlex chromogenic multiplex IHC panel CP02-LBS: CD4 (blue), CD8 (red), PanCK (yellow).

CD4, CD8, PanCK COLORECTAL CANCER

Disclaimer:

For In vitro Research Use Only. Not for diagnostic or therapeutic use. Suggested applications of our products are not recommendations to use our products in violation of any patent or as a license under any patent of Cell IDx, Inc. Product may not be resold or modified for resale without prior written approval of Cell IDx, Inc.